

HYDRAULIC FITTINGS



HYDRAULIC FERRULES

Size			
in	R7 Hose Ferrule	1 & 2 Wire Hose Ferrule	True Bore Teflon
3/16	HFF-R7-03		
1/4	HFF-R7-04	HFF-SN3-04	HFF-ST-04
5/16	HFF-R7-05	HFF-SN3-05	HFF-ST-05
3/8	HFF-R7-06	HFF-SN3-06	HFF-ST-06
1/2	HFF-R7-08	HFF-SN3-08	HFF-ST-08
5/8	HFF-R7-10	HFF-SN3-10	HFF-ST-10
3/4	HFF-R7-12	HFF-SN3-12	HFF-ST-12
1	HFF-R7-16	HFF-SN3-16	HFF-ST-16




BSP HYDRAULIC FITTINGS

TAIL x BSP					
in	in	BSPP Female Swivel	45° BSPP Female Swivel	90° BSPP Female Swivel	BSPT Male
1/4	1/8	HFT-BSF-0402		HFT-BSF-90S-0402	HFT-BTM-0402
1/4	1/4	HFT-BSF-0404	HFT-BSF-45S-0404	HFT-BSF-90S-0404	HFT-BTM-0404
1/4	3/8	HFT-BSF-0406	HFT-BSF-45S-0406	HFT-BSF-90S-0406	HFT-BTM-0406
5/16	1/4	HFT-BSF-0504	HFT-BSF-45S-0504	HFT-BSF-90S-0504	HFT-BTM-0504
5/16	3/8	HFT-BSF-0506	HFT-BSF-45S-0506		HFT-BTM-0506
3/8	1/4	HST-BSF-0604		HFT-BSF-90S-0604	HFT-BTM-0604
3/8	3/8	HST-BSF-0606	HFT-BSF-45S-0606	HFT-BSF-90S-0606	HFT-BTM-0606
3/8	1/2	HST-BSF-0608	HFT-BSF-45S-0608	HFT-BSF-90S-0608	HFT-BTM-0608
1/2	3/8	HST-BSF-0806			HFT-BTM-0806
1/2	1/2	HST-BSF-0808	HFT-BSF-45S-0808	HFT-BSF-90S-0808	HFT-BTM-0808
1/2	5/8	HST-BSF-0810		HFT-BSF-90S-0810	
1/2	3/4	HST-BSF-0812		HFT-BSF-90S-0812	HFT-BTM-0812
5/8	1/2	HST-BSF-1008			HFT-BTM-1008
5/8	5/8	HST-BSF-1010	HFT-BSF-45S-1010	HFT-BSF-90S-1010	HFT-BTM-1010
5/8	3/4	HST-BSF-1012			HFT-BTM-1012
3/4	1/2				HFT-BTM-1208
3/4	3/4	HST-BSF-1212	HFT-BSF-45S-1212	HFT-BSF-90S-1212	HFT-BTM-1212
3/4	1	HST-BSF-1216		HFT-BSF-90S-1216	HFT-BTM-1216
1	3/4				HFT-BTM-1612
1	1	HST-BSF-1616	HFT-BSF-45S-1616	HFT-BSF-90S-1616	HFT-BTM-1616

HYDRAULIC FITTINGS



JIC HYDRAULIC FITTINGS

TAIL x JIC					
in	in	JIC Female Swivel	JIC 45° Female Swivel	JIC 90° Female Swivel	JIC Male
1/4	7/16	HFT-JIF-0407	HFT-JIF-45S-0407	HFT-JIF-90S-0407	HFT-JIM-0407
1/4	1/2	HFT-JIF-0408	HFT-JIF-45S-0408	HFT-JIF-90S-0408	HFT-JIM-0408
1/4	9/16	HFT-JIF-0409	HFT-JIF-45S-0409	HFT-JIF-90S-0409	HFT-JIM-0409
5/16	9/16	HFT-JIF-0509	HFT-JIF-45S-0509	HFT-JIF-90S-0509	HFT-JIM-0509
3/8	1/2		HFT-JIF-45S-0608		
3/8	9/16	HFT-JIF-0609	HFT-JIF-45S-0609	HFT-JIF-90S-0609	HFT-JIM-0609
3/8	3/4	HFT-JIF-0612	HFT-JIF-45S-0612	HFT-JIF-90S-0612	HFT-JIM-0612
3/8	7/8	HFT-JIF-0614		HFT-JIF-90S-0614	HFT-JIM-0614
1/2	3/4	HFT-JIF-0812	HFT-JIF-45S-0812	HFT-JIF-90S-0812	HFT-JIM-0812
1/2	7/8	HFT-JIF-0814	HFT-JIF-45S-0814	HFT-JIF-90S-0814	HFT-JIM-0814
1/2	1 1/16	HFT-JIF-0817	HFT-JIF-45S-0817	HFT-JIF-90S-0817	HFT-JIM-0817
5/8	3/4				HFT-JIM-1012
5/8	7/8	HFT-JIF-1014	HFT-JIF-45S-1014	HFT-JIF-90S-1014	HFT-JIM-1014
5/8	1 1/16	HFT-JIF-1017	HFT-JIF-45S-1017	HFT-JIF-90S-1017	HFT-JIM-1017
3/4	7/8	HFT-JIF-1214			HFT-JIM-1214
3/4	1 1/16	HFT-JIF-1217	HFT-JIF-45S-1217	HFT-JIF-90S-1217	HFT-JIM-1217
3/4	1 3/16	HFT-JIF-1219	HFT-JIF-45S-1219	HFT-JIF-90S-1219	HFT-JIM-1219
3/4	1 5/16	HFT-JIF-1221	HFT-JIF-45S-1221	HFT-JIF-90S-1221	HFT-JIM-1221
1	1 1/16	HFT-JIF-1617		HFT-JIF-90S-1617	HFT-JIM-1617
1	1 3/16	HFT-JIF-1619			HFT-JIM-1619
1	1 5/16	HFT-JIF-1621	HFT-JIF-45S-1621	HFT-JIF-90S-1621	HFT-JIM-1621

METRIC HYDRAULIC FITTINGS

TAIL x Metric L.T 24° Cone				
in	Metric	Light Female	45° Light Female Swivel	90° Light Female Swivel
1/4	M12	HFT-MLF-0412 (6L)	HFT-MLF-45S-0412 (6L)	HFT-MLF-90S-0412 (6L)
1/4	M14	HFT-MLF-0414 (8L)	HFT-MLF-45S-0414 (8L)	HFT-MLF-90S-0414 (8L)
1/4	M16	HFT-MLF-0416 (10L)	HFT-MLF-45S-0416 (10L)	HFT-MLF-90S-0416 (10L)
1/4	M18	HFT-MLF-0418 (12L)		
5/16	M16	HFT-MLF-0516 (10L)		
3/8	M14		HFT-MLF-45S-0614 (8L)	
3/8	M16	HFT-MLF-0616 (10L)	HFT-MLF-45S-0616 (10L)	HFT-MLF-90S-0616 (10L)
3/8	M18	HFT-MLF-0618 (12L)	HFT-MLF-45S-0618 (12L)	HFT-MLF-90S-0618 (12L)
3/8	M22	HFT-MLF-0622 (15L)	HFT-MLF-45S-0622 (15L)	HFT-MLF-90S-0622 (15L)
1/2	M18	HFT-MLF-0818 (12L)		
1/2	M22	HFT-MLF-0822 (15L)	HFT-MLF-45S-0822 (15L)	HFT-MLF-90S-0822 (15L)
1/2	M26	HFT-MLF-0826 (18L)	HFT-MLF-45S-0826 (18L)	HFT-MLF-90S-0826 (18L)
5/8	M26	HFT-MLF-1026 (18L)	HFT-MLF-45S-1026 (18L)	HFT-MLF-90S-1026 (18L)
5/8	M30	HFT-MLF-1030 (22L)		HFT-MLF-90S-1030 (22L)
3/4	M26	HFT-MLF-1226 (18L)	HFT-MLF-45S-1226 (18L)	HFT-MLF-90S-1226 (18L)
3/4	M30	HFT-MLF-1230 (22L)	HFT-MLF-45S-1230 (22L)	HFT-MLF-90S-1230 (22L)
1	M36	HFT-MLF-1636 (28L)	HFT-MLF-45S-1636 (28L)	HFT-MLF-90S-1636 (28L)





HYDRAULIC FITTINGS



METRIC HYDRAULIC FITTINGS

TAIL x Metric			
in	Metric	Light Male	
1/4	M12	HFT-MLM-0412 (6L)	
1/4	M14	HFT-MLM-0414 (8L)	
1/4	M16	HFT-MLM-0416 (10L)	
1/4	M18	HFT-MLM-0418 (12L)	
3/8	M16	HFT-MLM-0616 (10L)	
3/8	M18	HFT-MLM-0618 (12L)	
3/8	M22	HFT-MLM-0622 (15L)	
1/2	M22	HFT-MLM-0822 (15L)	
1/2	M26	HFT-MLM-0826 (18L)	
5/8	M26	HFT-MLM-1026 (18L)	
5/8	M30	HFT-MLM-1030 (22L)	
3/4	M26	HFT-MLM-1226 (18L)	
3/4	M30	HFT-MLM-1230 (22L)	
3/4	M36	HFT-MLM-1236 (28L)	
1	M36	HFT-MLM-1636 (28L)	

ORFS HYDRAULIC FITTINGS

TAIL x ORFS					
in	in	ORFS Female	45° ORFS Female	90° ORFS Female	ORFS Male
1/4	9/16	HFT-ORF-0409	HFT-ORF-45S-0409	HFT-ORF-90S-0409	HFT-ORM-0409
1/4	11/16	HFT-ORF-0411	HFT-ORF-45S-0411	HFT-ORF-90S-0411	
3/8	9/16	HFT-ORF-0609		HFT-ORF-90S-0609	
3/8	11/16	HFT-ORF-0611	HFT-ORF-45S-0611	HFT-ORF-90S-0611	HFT-ORM-0611
3/8	13/16	HFT-ORF-0613	HFT-ORF-45S-0613	HFT-ORF-90S-0613	HFT-ORM-0613
1/2	11/16	HFT-ORF-0811			
1/2	13/16		HFT-ORF-45S-0813	HFT-ORF-90S-0813	HFT-ORM-0813
1/2	1			HFT-ORF-90S-0816	
1/2	1 3/16	HFT-ORF-0819			
5/8	1	HFT-ORF-1016	HFT-ORF-45S-1016	HFT-ORF-45S-1016	HFT-ORM-1016
5/8	1 3/16	HFT-ORF-1019		HFT-ORF-90S-1019	HFT-ORM-1019
3/4	1 1/16	HFT-ORF-1216		HFT-ORF-90S-1216	
3/4	1 3/16	HFT-ORF-1219	HFT-ORF-45S-1219	HFT-ORF-90S-1219	HFT-ORM-1219
3/4	1 7/16	HFT-ORF-1223		HFT-ORF-90S-1223	
1	1 7/16	HFT-ORF-1623	HFT-ORF-45S-1623	HFT-ORF-90S-1623	
1 1/4	1 11/16		HFT-ORF-45S-2027		

ISO 7241-1 SERIES A - POPPET STYLE

		
in	Male Adaptor BSPF Female	Female Coupling BSPF Female
1/4	HQC-IA-0404PF	HQC-IA-0404SF
3/8	HQC-IA-0606PF	HQC-IA-0606SF
1/2	HQC-IA-0808PF	HQC-IA-0808SF
3/4	HQC-IA-1212PF	HQC-IA-1212SF
1	HQC-IA-1616PF	HQC-IA-1616SF

ISO 16028 FLAT FACE

			
Body	Thread	Male Adaptor BSPF Female	Female Coupling BSPF Female
1/4	1/4	HQC-FF-0404PF	HQC-FF-0404SF
3/8	3/8	HQC-FF-0606PF	HQC-FF-0606SF
3/8	1/2	HQC-FF-0608PF	HQC-FF-0608SF
1/2	1/2	HQC-FF-0808PF	HQC-FF-0808SF
3/4	3/4	HQC-FF-1212PF	HQC-FF-1212SF
1	1	HQC-FF-1616PF	HQC-FF-1616SF

TEMA INTERCHANGE

		
in	Male Adaptor BSPF Female	Female Coupling BSPF Female
1/4	HQC-TM-0404PF	HQC-TM-0404SF
3/8	HQC-TM-0606PF	HQC-TM-0606SF
1/2	HQC-TM-0808PF	HQC-TM-0808SF
3/4	HQC-TM-1212PF	HQC-TM-1212SF
1	HQC-TM-1616PF	HQC-TM-1616SF

BRASS ISO B (CARPET CLEANING)

		
in	Male Adaptor BSPF Female	Female Coupling BSPF Female
1/4	HQC-IB-04PF	HQC-IB-04SF

BRASS STRAIGHT THROUGH

Stainless available upon request

		
in	Male Adaptor BSPF Female	Female Coupling BSPF Female
1/4	HQC-STB-04PF	HQC-STB-04SF
3/8	HQC-STB-06PF	HQC-STB-06SF

HOSE PROTECTORS



BURST SLEEVE

HPA Burst Sleeve combines the very latest in nylon fibre technology with a unique anti-static weave, fire and abrasion resistance to bring you a product superior to any other comparable sleeve in the marketplace. Offers superior abrasion resistance when tested in accordance with ISO 6945 and has exceptional oil spill retention and pin-hole burst diffusion when tested in accordance with the requirements of SAE J343.



I.D.	Flat Width	CARTON	PART #	CUT
18mm	32mm	50m	HH-BS-018	✘
23mm	40mm	50m	HH-BS-023	✘
29mm	50mm	50m	HH-BS-029	✘
36mm	61mm	50m	HH-BS-036	✘
40mm	67mm	50m	HH-BS-040	✘
45mm	75mm	50m	HH-BS-045	✘
56mm	92mm	50m	HH-BS-056	✘
63mm	103mm	50m	HH-BS-063	✘
71mm	116mm	50m	HH-BS-071	✘
93mm	150mm	50m	HH-BS-093	✘
110mm	177mm	50m	HH-BS-110	✘
180mm	287mm	50m	HH-BS-180	✘

PLASTIC SPIRAL GUARD

Spiral guard is a light weight and cost effective method of protecting hoses and cables from abrasion and impact. Due to the flexible and expanding nature of PSG it is possible to wrap individual hoses as well as bundles of hoses in a loom. The product has been designed with a rounded profile for ease of fitment and no sharp edges means no chance of cutting the hose. **Colours available upon request.**



HOSE O.D. (min)	HOSE O.D. (max)	CARTON (m)	PART #	CUT
9	13	20	HH-SG012	✘
12	17	20	HH-SG016	✘
16	22	20	HH-SG020	✘
21	28	20	HH-SG025	✘
27	33	20	HH-SG032	✘
32	42	20	HH-SG040	✘
41	53	20	HH-SG050	✘
52	65	20	HH-SG063	✘
64	80	20	HH-SG075	✘
79	150	10	HH-SG090	✘
150+		10	HH-SG110	✘

HOSE BEND RESTRICTORS

Vinyl hose bend restrictors prolong the life of hose assemblies by preventing excessive strain on the hose at the fitting.

Especially suitable for pressure washer hoses, they also help protect the operator in the event of hose failure at the fitting.

- HFM-SR04 Suits 1/4in hose (HH-PW1-006 & similar)
- HFM-SR06 Suits 3/8in hose (HH-PW2-010 & similar)

